

Fragment Analysis for the JTAPIC Program

National Test and Evaluation Conference March 2011
Warfighter Survivability Branch
Karen Pizzolato



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Survivability/Lethality Analysis Directorate Army Research Laboratory


Acknowledgements: Barbara Wolfe, Daniel Snoha, Brad Klotz, and Lars Piehler

Approved for Public Release - Distribution Unlimited



What is JTAPIC?






The Joint Trauma Analysis and Prevention of Injury in Combat (JTAPIC) program links the medical, intelligence, operational, and materiel communities in collecting, analyzing, and integrating data from combat incidents to inform decisions by materiel developers, commanders, Training and Doctrine Command (TRADOC), and senior leaders to improve Warfighter survivability.



Fragment Processing







Recorded Fragment Information



Mass: 2.25 g

Dimension: 12.7 × 10.3 × 3.2 mm

Density: 7.11 g/mL

Shape: Irregular

Recovery Location: Neck (pharynx)


Description: Smooth copper color. Top concave side has cut marks. Appears to be a fiber-like material attached to fragment. Specimen cut for analysis.

Predominant Materials: Copper and Iron

Photo



3-D Scan



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.




SEM-EDS Fragment Characterization




Scanning Electron Microscopy- Energy Dispersive X-ray Spectroscopy (SEM-EDS) is an analytical technique used to determine the elemental composition of a given sample.

- Elemental results are specific to the nature of the sample and the surface area scanned.
- EDS provides a first approach, qualitative assessment of fragment material.

SEM Image







ICP-AES Fragment Characterization



Inductively Couple Plasma- Atomic Emission Spectroscopy (ICP-AES) is a quantitative, analytical technique used to determine the elemental composition of a given sample.

- Metals in trace amounts can be detected.
- Exact elemental concentrations and metal alloys can be determined.



Photograph Courtesy of Image from Lehigh Testing Laboratories, Inc. (www.lehightesting.com), used without permission

ICP-AES Sample Results


Case ID #	
Chemical Element	Percent of Total (%)
Carbon	0.46
Sulfur	0.024
Manganese	0.54
Silicon	.025
Chromium	0.39
Nickel	0.10
Phosphorus	0.009
Copper	0.16
Molybdenum	0.01
Cobalt	0.006
Aluminum	<0.002
Lead	<0.001
Vanadium	0.002
Iron	98.049



JTAPIC Fragment & Material Database



Fragment Detail Information






JTAPIC Database Reporting




Database Reporting





Incorporation of Fragment Analyses








Example of Event Recreation Using Modeling and Simulation



ARL combines fragment information with the operational intelligence and medical data received from the other JTAPIC partners to analyze and recreate events of interest using modeling and simulation (M&S).





New Capabilities



- Analyzing plastic fragments to identify plasticizer and polymer compounds
- Providing support to Health Affairs for embedded, toxic fragments
- Matching fragments to anatomical hit locations
- Identifying fragment source to assist the material development community in identifying threat materials
- Analyzing fragment masses to assist the material development community with threat identification and testing designs



Future Efforts



- Match hit locations to body armor placement
- Improve visualizations in database to replicate existing prototypes
- Develop a classified database in order to incorporate operational intelligence information, medical data, and fragment analysis results in one location





Karen Pizzolato

U.S. Army Research Laboratory

Temporary Assignment, Armed Forces Medical Examiner System

Phone: 410-278-4102

Email: karen.pizzolato@us.army.mil or karen.pizzolato@us.af.mil